

Mammals of Schmeckle Reserve

Masked shrew (Sorex cinereus) [Engel, 1980]
Arctic shrew (Sorex arcticus) [Engel, 1980]
Short-tailed shrew (Blarina brevicauda) [Engel, 1980]

White-footed mouse (Peromyscus leucopus) [Engel, 1980]
Red-backed vole (Myodes gapperi) [Engel, 1980]
Meadow vole (Microtus pennsylvanicus) [Engel, 1980]
Star-nose mole (Condylura cristata) [EIA, 1974]
Norway rat (Rattus norvegicus) [Engel, 1980]
House mouse (Mus musculus) [Engel, 1980]
Meadow jumping mouse (Zapus hudsonius) [Engel, 1980]

Little Brown Bat (Myotis lucifugus) [Redell, 2007]
Big Brown Bat (Eptesicus fuscus) [Redell, 2007]
Red Bat (Lasiurus borealis) [Redell, 2007]
Silver-haired Bat (Lasionycteris noctivagans) [Redell, 2007]
Hoary Bat (Lasiurus cinereus) [Redell, 2007]
* Bat studies are currently being conducted...

Eastern chipmunk (Tamias striatus) [Engel, 1980]
13-lined ground squirrel (Spermophilus tridecemlineatus) [Engel, 1980]
Gray squirrel (Sciurus carolinensis) [Engel, 1980]
Red squirrel (Tamiasciurus hudsonicus) [Engel, 1980]
Southern flying squirrel (Glaucomys volans) [Engel, 1980]
Northern flying squirrel (Glaucomys sabrinus) [Engel, 1980]

Short-tailed weasel/ermine (Mustela erminea) [Engel, 1980]
Long-tailed weasel (Mustela frenata) [Engel, 1980]
Mink (Mustela vison) [Engel, 1980]

Eastern cottontail (Sylvilagus floridanus) [Engel, 1980]
Snowshoe hare (Lepus americanus) [Engel, 1980]

Bobcat^a (Lynx rufus) [Engel, 1980]

Beaver (Castor Canadensis) [Engel, 1980]
Muskrat (Ondatra zibethicus) [Engel, 1980]
River otter (Lontra canadensis) [Zimmerman, 1990s]

Woodchuck (Marmota monax) [Engel, 1980]
Porcupine (Erethizon dorsatum) [Engel, 1980]
Striped skunk (Mephitis mephitis) [Engel, 1980]
Raccoon (Procyon lotor) [Observed]
North American Opossum (Didelphis virginiana) [Observed]

Red fox (Vulpes vulpes) [Engel, 1980]

Gray fox (Urocyon cinereoargenteus) [Photographed, 2000]

Coyote (Canis latrans) [Zimmerman]

White-tailed deer (Odocoileus virginianus) [Engel, 1980]

Black Bear (Ursus americanus) [Zimmerman]

^aUnconfirmed reports from 2 observers; species rare in county, nearest known individual 40 km NW.